



KTS






**Cable support
systems
Middle East**

Building Connections

OBO
BETTERMANN




Modular systems

	System accessories	426
	BKK system	426
	System accessories	453



Cover clamp, universal



Type

DKU A2

A2 Stainless steel, rustproof


2B Bright, reworked

Pack Piece	Weight kg/100 pc.	Item no.
20	0.794	6065600

Depending on the tray width, 4–6 cover clamps are required for secure fastening of a 3 m cover. Cover clamp for universal fastening of covers on cable trays, mesh cable trays and AZ small ducts.

The cover clamp is not suitable for use with mesh cable trays with a side height of 35 mm.

Turn buckle 50



Type

AZDR 50 A2 | 50

A2 Stainless steel, rustproof


2B Bright, reworked

for width mm

Pack Piece	Weight kg/100 pc.	Item no.
10	2.800	6065309

Turn buckle for installation in the cover for AZ small duct of width 50 mm at a later date.

Turn buckle 100



Type

AZDR 100 A2 | 100

A2 Stainless steel, rustproof

2B Bright, reworked



for width mm

Pack Piece	Weight kg/100 pc.	Item no.
10	2.600	6065317

Turn buckle for installation in the cover for AZ small duct and BKK system at a later date.

BKK system

Truss-head bolt with flange nut



Type

FRSB 6x12 F

FRSB 6x16 F

FRSB 6x20 F

Dimension mm	Dimension L mm	Dimension d mm	Dimension D mm	Resistance grade
M 6 x 12	12	6	13.5	5.6
M 6 x 16	16	6	13.5	5.6
M 6 x 20	20	6	13.5	5.6


Pack Piece	Weight kg/100 pc.	Item no.
100	0.812	6406122
100	0.890	6406157
100	0.965	6406203

S1 Steel

F Hot galvanised

Truss-head bolt with square neck including flange nut.

Truss-head bolt with flange nut



Type

FRSB 6x12 A2

FRSB 6x16 A2

FRSB 6x20 A2

Dimension mm	Dimension L mm	Dimension d mm	Dimension D mm	Resistance grade
M 6 x 12	12	6	13.5	A2-70
M 6 x 16	16	6	13.5	A2-70
M 6 x 20	20	6	13.5	A2-70

Pack Piece	Weight kg/100 pc.	Item no.
100	0.830	6406138
100	0.800	6406189
100	0.960	6406205

A2 Stainless steel, rustproof

2B Bright, reworked

Truss-head bolt with square neck including flange nut.

Single-compartment cable trunking 50, cover with turn buckle

Type	Dimension B mm	Dimension H mm	Dimension L mm	Metal thickness mm	Pack m	Weight kg/100 m	Item no.
ST22	50	50	3000	0.80	150	160.000	6081150
ST32	75	50	3000	1.00	150	210.000	6081152
ST42	100	50	3000	1.00	150	260.000	6081154
ST62	150	50	3000	1.00	90	280.000	6081156
ST92	225	50	3000	1.20	60	560.000	6081158
ST122	300	50	3000	1.20	30	700.000	6081160

Sl Steel


FS Strip galvanised

Cable trunking, single-compartment, complete with cover.

Connectors should be ordered separately and in the appropriate quantity.



Dimensions



Single-compartment cable duct 50, cover screwed on

Type	Dimension B mm	Dimension H mm	Dimension L mm	Metal thickness mm	Pack m	Weight kg/100 m	Item no.
STSF22 1.5	50	50	3000	1.50	150	278.670	6081151
STSF42 1.5	100	50	3000	1.50	150	396.340	6081155
STSF62 1.5	150	50	3000	1.50	90	513.340	6081157

Sl Steel


FS Strip galvanised

Cable trunking, single-compartment, complete with cover.

Connectors and the cover fastening set should be ordered separately and in the appropriate quantity.



Dimensions



Two-compartment cable trunking 50, cover with turn buckle



Type	Dimension B mm	Dimension H mm	Dimension L mm	Metal thickness mm	Pack m	Weight kg/100 m	Item no.
ST22-2EC	50	50	3000	0.80	150	160.000	6081210
ST32-2EC	75	50	3000	1.00	150	240.000	6081212
ST42-2EC	100	50	3000	1.00	150	280.000	6081214
ST62-2EC	150	50	3000	1.00	90	380.000	6081216
ST92-2EC	225	50	3000	1.20	60	590.000	6081218
ST122-2EC	300	50	3000	1.20	30	740.000	6081220



Sl Steel

FS Strip galvanised

Cable trunking, two-compartment, complete with cover.

Connectors should be ordered separately and in the appropriate quantity.

Dimensions



90° top bend 50 with cover





Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA2290T	50	50	1.00	40	40.000	6081270
SA3290T	75	50	1.00	28	53.000	6081272
SA4290T	100	50	1.00	18	64.000	6081274
SA6290T	150	50	1.00	20	95.000	6081276
SA9290T	225	50	1.00	10	175.000	6081278
SA12290T	300	50	1.00	7	309.000	6081280
SA2290T 1.5	50	50	1.50	40	60.000	6081271

Sl Steel

FS Strip galvanised

90° top bend with cover, for use on single-compartment cable trunking.




90° internal bend 50 with cover

Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA2290I	50	50	1.00	40	38.000	6081330
SA3290I	75	50	1.00	33	43.000	6081332
SA4290I	100	50	1.00	22	49.000	6081334
SA6290I	150	50	1.00	12	60.000	6081336
SA9290I	225	50	1.00	16	167.000	6081338
SA12290I	300	50	1.00	12	302.000	6081340

SI Steel

FS Strip galvanised

90° bend with internal cover, for use on single-compartment cable ducts.




90° external bend 50 with cover

Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA2290E	50	50	1.00	40	36.000	6081390
SA3290E	75	50	1.00	36	41.000	6081392
SA4290E	100	50	1.00	28	46.000	6081394
SA6290E	150	50	1.00	18	55.000	6081396
SA9290E	225	50	1.00	18	165.000	6081398
SA12290E	300	50	1.00	15	299.000	6081400

SI Steel

FS Strip galvanised

90° external bend with cover, for use on single-compartment cable trunking.




45° top bend 50 with cover

Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA2245T	50	50	1.00	90	24.000	6081450
SA3245T	75	50	1.00	60	30.000	6081452
SA4245T	100	50	1.00	36	36.000	6081454
SA6245T	150	50	1.00	20	49.000	6081456
SA9245T	225	50	1.00	20	96.000	6081458
SA12245T	300	50	1.00	14	144.000	6081460


SI Steel

FS Strip galvanised

45° top bend with cover, for use on single-compartment cable trunking.



Reduction



Type	Dimen- sion B mm	Dimen- sion H mm	Dimen- sion h mm	Dimen- sion b mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA33-22RE	75	75	50	50	1.00	66	24.000	6081990
SA43-22RE	100	50	50	75	1.00	5	30.000	6081992
SA44-22RE	100	100	50	50	1.00	39	36.000	6082000
SA44-32RE	100	100	75	50	1.00	39	32.000	6082002
SA44-33RE	100	100	75	75	1.00	39	32.500	6082004
SA44-42RE	100	100	100	50	1.00	39	31.000	6082006
SA66-22RE	150	150	50	50	1.00	36	49.000	6082010
SA66-32RE	150	150	75	50	1.00	36	49.000	6082012
SA66-42RE	150	150	100	50	1.00	36	51.000	6082014
SA66-33RE	150	150	75	75	1.00	36	50.000	6082016
SA66-43RE	150	150	100	75	1.00	36	51.000	6082018
SA66-44RE	150	150	100	100	1.00	36	52.000	6082020
SA94-44RE	225	100	100	100	1.00	15	63.000	6082022
SA99-33RE	225	225	75	75	1.00	7	114.000	6082030
SA99-44RE	225	225	100	100	1.00	7	101.000	6082032
SA99-66RE	225	225	150	150	1.00	7	64.000	6082034
SA126-44RE	300	100	100	150	1.00	5	105.000	6082040
SA1212-44RE	300	300	100	100	1.00	5	176.000	6082042
SA1212-66RE	300	300	150	150	1.00	5	149.000	6082044
SA1212-99RE	300	300	225	225	1.00	5	131.000	6082048

St Steel

FS Strip galvanised

Reducer for use on single and two-compartment cable trunking. Version with side heights 50, 75, 100 and 150 mm.

45° external bend 50 with cover




Type	Dimen- sion B mm	Dimen- sion H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA2245E	50	50	1.00	50	25.000	6081570
SA3245E	75	50	1.00	60	28.000	6081572
SA4245E	100	50	1.00	45	31.000	6081574
SA6245E	150	50	1.00	40	37.000	6081576
SA9245E	225	50	1.00	20	103.000	6081578
SA12245E	300	50	1.00	19	238.000	6081580

St Steel

FS Strip galvanised

45° external bend with cover, for use on single-compartment cable trunking.




45° internal bend 50 with cover

Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA2245I	50	50	1.00	50	24.000	6081510
SA3245I	75	50	1.00	60	27.000	6081512
SA4245I	100	50	1.00	45	30.000	6081514
SA6245I	150	50	1.00	40	35.000	6081516
SA9245I	225	50	1.00	20	103.000	6081518
SA12245I	300	50	1.00	19	239.000	6081520

St Steel

FS Strip galvanised

45° internal bend with cover, for use on single-compartment cable trunking.





Tee branch 50 with cover

Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA22TTC	50	50	1.00	40	52.000	6081630
SA32TTC	75	50	1.00	20	63.000	6081632
SA42TTC	100	50	1.00	12	77.000	6081634
SA62TTC	150	50	1.00	18	109.000	6081636
SA92TTC	225	50	1.00	9	185.000	6081638
SA122TTC	300	50	1.00	6	291.000	6081640
SA22TTC 1.5	50	50	1.50	40	83.000	6081631

St Steel

FS Strip galvanised

Top tee with cover, for use on single-compartment cable trunking.





Internal tee branch 50 with cover

Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA22TIN	50	50	1.00	33	50.000	6081690
SA32TIN	75	50	1.00	40	56.000	6081692
SA42TIN	100	50	1.00	13	62.000	6081694
SA62TIN	150	50	1.00	22	74.000	6081696
SA92TIN	225	50	1.00	16	184.000	6081698
SA122TIN	300	50	1.00	12	289.000	6081700

St Steel

FS Strip galvanised

Internal tee with cover, for use on single compartment cable trunking.



External tee branch 50 with cover




Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA22TEX	50	50	1.00	42	46.000	6081750
SA32TEX	75	50	1.00	24	50.000	6081752
SA42TEX	100	50	1.00	18	59.000	6081754
SA62TEX	150	50	1.00	12	65.000	6081756
SA92TEX	225	50	1.00	16	182.000	6081758
SA122TEX	300	50	1.00	10	288.000	6081760


St Steel

FS Strip galvanised

External tee with cover, for use on single-compartment cable trunking.



Cross-over 50





Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA224WI	50	50	1.00	16	53.000	6081810
SA324WI	75	50	1.00	12	74.000	6081812
SA424WI	100	50	1.00	19	90.000	6081814
SA624WI	150	50	1.00	11	122.000	6081816
SA924WI	225	50	1.00	6	203.000	6081818
SA1224WI	300	50	1.00	3	294.000	6081820

St Steel

FS Strip galvanised

Cross-over, for use on single-compartment cable trunking.



Single-compartment cable trunking 75, cover with turn buckle

Type	Dimension B mm	Dimension H mm	Dimension L mm	Metal thickness mm	Pack m	Weight kg/100 m	Item no.
ST33	75	75	3000	1.00	150	240.000	6081170
ST43	100	75	3000	1.00	150	280.000	6081172
ST63	150	75	3000	1.20	90	450.000	6081174
ST93	225	75	3000	1.20	60	610.000	6081176

St Steel


FS Strip galvanised

Cable trunking, single-compartment, complete with cover.

Connectors should be ordered separately and in the appropriate quantity.



Dimensions



Single-compartment cable trunking 75, cover screwed on

Type	Dimension B mm	Dimension H mm	Dimension L mm	Metal thickness mm	Pack m	Weight kg/100 m	Item no.
STSF33 1.5	75	75	3000	1.50	150	393.000	6081171
STSF43 1.5	100	75	3000	1.50	150	451.670	6081173

St Steel


FS Strip galvanised

Cable trunking, single-compartment, complete with cover.

Connectors and the cover fastening set should be ordered separately and in the appropriate quantity.



Dimensions



Two-compartment cable trunking 75, cover with turn buckle



Type	Dimension B mm	Dimension H mm	Dimension L mm	Metal thickness mm	Pack m	Weight kg/100 m	Item no.
ST33-2EC	75	75	3000	1.00	150	280.000	6081230
ST43-2EC	100	75	3000	1.00	150	310.000	6081232
ST63-2EC	150	75	3000	1.20	90	500.000	6081234
ST93-2EC	225	75	3000	1.20	60	660.000	6081236



St Steel

FS Strip galvanised

Cable trunking, two-compartment, complete with cover.

Connectors should be ordered separately and in the appropriate quantity.

Dimensions



90° top bend 75 with cover




Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA3390T	75	75	1.00	30	61.000	6081290
SA4390T	100	75	1.00	12	75.000	6081292
SA6390T	150	75	1.00	12	108.000	6081294
SA9390T	225	75	1.00	7	188.000	6081296

St Steel

FS Strip galvanised

90° top bend with cover, for use on single-compartment cable trunking.




90° internal bend 75 with cover

Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA3390I	75	75	1.00	30	58.000	6081350
SA4390I	100	75	1.00	12	67.000	6081352
SA6390I	150	75	1.00	10	77.000	6081354
SA9390I	225	75	1.00	12	184.000	6081356

St Steel

FS Strip galvanised

90° internal bend with cover, for use on single-compartment cable trunking.




90° external bend 75 with cover

Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA3390E	75	75	1.00	30	56.000	6081410
SA4390E	100	75	1.00	12	61.000	6081412
SA6390E	150	75	1.00	10	73.000	6081414
SA9390E	225	75	1.00	13	183.000	6081416

St Steel

FS Strip galvanised

90° external bend with cover, for use on single-compartment cable trunking.




90° top bend 75 with cover, two-compartment

Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA3390T-2EC	75	75	1.00	12	61.000	6082212
SA6390T-2EC	150	75	1.00	12	123.000	6082216

St Steel

FS Strip galvanised

90° top cover bend, for use on single-compartment cable trunking. Version with a 75 mm side height.



45° top bend 75 with cover





Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA3345T	75	75	1.00	36	37.000	6081470
SA4345T	100	75	1.00	24	43.000	6081472
SA6345T	150	75	1.00	12	57.000	6081474
SA9345T	225	75	1.00	15	10.000	6081476

St Steel

FS Strip galvanised

45° top bend with cover, for use on single-compartment cable trunking.



45° internal bend 75 with cover




Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA3345I	75	75	1.00	50	36.000	6081530
SA4345I	100	75	1.00	22	39.000	6081532
SA6345I	150	75	1.00	18	45.000	6081534
SA9345I	225	75	1.00	12	123.000	6081536

St Steel

FS Strip galvanised

45° internal bend with cover, for use on single-compartment cable trunking.



45° external bend 75 with cover




Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA3345E	75	75	1.00	50	37.000	6081590
SA4345E	100	75	1.00	24	40.000	6081592
SA6345E	150	75	1.00	18	47.000	6081594
SA9345E	225	75	1.00	12	122.000	6081596

St Steel

FS Strip galvanised

45° external bend with cover, for use on single-compartment cable trunking.





Tee branch with cover

Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA33TTC	75	75	1.00	30	76.000	6081650
SA43TTC	100	75	1.00	22	89.000	6081652
SA63TTC	150	75	1.00	12	123.000	6081654
SA93TTC	225	75	1.00	7	199.000	6081656

St Steel

FS Strip galvanised

Top tee with cover, for use on single-compartment cable trunking.





Tee branch 75 with cover

Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA33TIN	75	75	1.00	12	73.000	6081710
SA43TIN	100	75	1.00	18	80.000	6081712
SA63TIN	150	75	1.00	12	97.000	6081714
SA93TIN	225	75	1.00	8	197.000	6081716

St Steel

FS Strip galvanised

Internal tee with cover, for use on single compartment cable trunking.




External tee branch 75 with cover

Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA33TEX	75	75	1.00	12	66.000	6081770
SA43TEX	100	75	1.00	24	72.000	6081772
SA63TEX	150	75	1.00	12	83.000	6081774
SA93TEX	225	75	1.00	9	195.000	6081776



St Steel

FS Strip galvanised

External tee with cover, for use on single-compartment cable trunking.



Tee branch 75 with top cover, two-compartment






Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack	Weight	Item no.
				Piece	kg/100 pc.	
SA33TTC-2EC	75	75	1.00	12	76.000	6082464
SA63TTC-2EC	150	75	1.00	12	148.000	6082468

St Steel

FS Strip galvanised

Cross-over 75



Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack	Weight	Item no.
				Piece	kg/100 pc.	
SA334WI	75	75	1.00	8	85.000	6081830
SA434WI	100	75	1.00	12	102.000	6081832
SA634WI	150	75	1.00	8	104.000	6081834
SA934WI	225	75	1.00	5	227.000	6081836

St Steel

FS Strip galvanised

Cross-over, for use on single-compartment cable ducts.


Reduction

Type	Dimension B mm	Dimension H mm	Dimension h mm	Dimension b mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA33-22RE	75	75	50	50	1.00	66	24.000	6081990
SA43-22RE	100	50	50	75	1.00	5	30.000	6081992
SA44-22RE	100	100	50	50	1.00	39	36.000	6082000
SA44-32RE	100	100	75	50	1.00	39	32.000	6082002
SA44-33RE	100	100	75	75	1.00	39	32.500	6082004
SA44-42RE	100	100	100	50	1.00	39	31.000	6082006
SA66-22RE	150	150	50	50	1.00	36	49.000	6082010
SA66-32RE	150	150	75	50	1.00	36	49.000	6082012
SA66-42RE	150	150	100	50	1.00	36	51.000	6082014
SA66-33RE	150	150	75	75	1.00	36	50.000	6082016
SA66-43RE	150	150	100	75	1.00	36	51.000	6082018
SA66-44RE	150	150	100	100	1.00	36	52.000	6082020
SA94-44RE	225	100	100	100	1.00	15	63.000	6082022
SA99-33RE	225	225	75	75	1.00	7	114.000	6082030
SA99-44RE	225	225	100	100	1.00	7	101.000	6082032
SA99-66RE	225	225	150	150	1.00	7	64.000	6082034
SA126-44RE	300	100	100	150	1.00	5	105.000	6082040
SA1212-44RE	300	300	100	100	1.00	5	176.000	6082042
SA1212-66RE	300	300	150	150	1.00	5	149.000	6082044
SA1212-99RE	300	300	225	225	1.00	5	131.000	6082048

St Steel

FS Strip galvanised

Reducer for use on single and two-compartment cable trunking. Version with side heights 50, 75, 100 and 150 mm.



Single-compartment cable trunking 100, cover with turn buckle

Type	Dimension B mm	Dimension H mm	Dimension L mm	Metal thickness mm	Pack m	Weight kg/100 m	Item no.
ST44	100	100	3000	1.20	150	390.000	6081186
ST64	150	100	3000	1.20	90	500.000	6081188


St Steel

FS Strip galvanised

Cable trunking, single-compartment, complete with cover.
Connectors should be ordered separately and in the appropriate quantity.



Dimensions



Single-compartment cable trunking 100, cover screwed on



Type	Dimen-	Dimen-	Dimen-	Metal thickness mm	Pack m	Weight kg/100 m	Item no.
	sion B mm	sion H mm	sion L mm				
STSF44 1.5	100	100	3000	1.50	150	490.000	6081187
STSF64 1.5	150	100	3000	1.50	90	632.000	6081189
STSF94 1.5	225	100	3000	1.50	60	746.670	6081190


St Steel

FS Strip galvanised

Cable trunking, single-compartment, complete with cover.

Connectors and the cover fastening set should be ordered separately and in the appropriate quantity.

Dimensions



Two-compartment cable trunking 100, cover with turn buckle



Type	Dimen-	Dimen-	Dimen-	Metal thickness mm	Pack m	Weight kg/100 m	Item no.
	sion B mm	sion H mm	sion L mm				
ST44-2EC	100	100	3000	1.20	150	460.000	6081246
ST64-2EC	150	100	3000	1.20	90	570.000	6081248



St Steel

FS Strip galvanised

Cable trunking, two-compartment, complete with cover.

Connectors should be ordered separately and in the appropriate quantity.

Dimensions





90° top bend 100 with cover

Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA9490T	225	100	1.00	4	230.000	6081310
SA4445T 1.5	100	100	1.50	36	77.200	6081487

St Steel

FS Strip galvanised

90° top bend with cover, for use on single-compartment cable trunking.




90° top bend 100 with cover

Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA4490T	100	100	1.00	20	88.000	6081306
SA6490T	150	100	1.00	8	123.000	6081308

St Steel

FS Strip galvanised

90° top bend with cover, for use on single-compartment cable trunking.




90° bend 100 with cover, internal

Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA4490I 1.5	100	100	1.50	18	126.700	6081367

St Steel

FS Strip galvanised

90° bend with internal cover, for use on single-compartment cable trunking.



90° internal bend 100 with cover




Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA4490I	100	100	1.00	20	85.000	6081366
SA6490I	150	100	1.00	12	99.000	6081368
SA9490I	225	100	1.00	5	145.000	6081370

SI Steel

FS Strip galvanised

90° internal bend with cover, for use on single-compartment cable trunking.



90° bend 100 with cover, external




Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA4490E 1.5	100	100	1.50	21	121.500	6081427

SI Steel

FS Strip galvanised

90° bend with external cover, for use on single-compartment cable trunking.



90° external bend 100 with cover




Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA4490E	100	100	1.00	24	83.000	6081426
SA6490E	150	100	1.00	12	95.000	6081428
SA9490E	225	100	1.00	6	125.500	6081430

SI Steel

FS Strip galvanised

90° external bend with cover, for use on single-compartment cable trunking.





45° top bend 100 with cover

Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA4445T	100	100	1.00	18	53.000	6081486
SA6445T	150	100	1.00	20	87.000	6081488
SA9445T	225	100	1.00	8	113.000	6081490

St Steel

FS Strip galvanised

45° top bend with cover, for use on single-compartment cable trunking.





45° internal bend 100 with cover

Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA4445I	100	100	1.00	30	52.000	6081546
SA6445I	150	100	1.00	24	59.000	6081548
SA9445I	225	100	1.00	12	76.000	6081550

St Steel

FS Strip galvanised

45° internal bend with cover, for use on single-compartment cable trunking.





45° external bend 100 with cover

Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA4445E	100	100	1.00	30	53.000	6081606
SA6445E	150	100	1.00	24	61.000	6081608
SA9445E	225	100	1.00	12	77.500	6081610


St Steel

FS Strip galvanised

45° external bend with cover, for use on single-compartment cable trunking.



Top tee branch 100 with cover





Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA44TTC	100	100	1.00	18	106.000	6081666
SA64TTC	150	100	1.00	8	140.000	6081668
SA94TTC	225	100	1.00	4	237.500	6081670

St Steel

FS Strip galvanised

Top tee with cover, for use on single-compartment cable trunking.



Internal tee branch 100 with cover




Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA44TIN	100	100	1.00	14	102.000	6081726
SA64TIN	150	100	1.00	8	118.000	6081728

St Steel

FS Strip galvanised

Internal tee with cover, for use on single compartment cable trunking.



External tee branch 100 with cover




Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA44TEX	100	100	1.00	18	83.000	6081786
SA64TEX	150	100	1.00	12	108.000	6081788

St Steel

FS Strip galvanised

External tee with cover, for use on single-compartment cable trunking.





Cross-over 100

Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA444WI	100	100	1.00	9	114.000	6081846
SA644WI	150	100	1.00	5	154.000	6081848
SA944WI	225	100	1.00	5	250.000	6081850

St Steel

FS Strip galvanised

Cross-over, for use on single-compartment cable trunking.




Reduction

Type	Dimension B mm	Dimension H mm	Dimension h mm	Dimension b mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA33-22RE	75	75	50	50	1.00	66	24.000	6081990
SA43-22RE	100	50	50	75	1.00	5	30.000	6081992
SA44-22RE	100	100	50	50	1.00	39	36.000	6082000
SA44-32RE	100	100	75	50	1.00	39	32.000	6082002
SA44-33RE	100	100	75	75	1.00	39	32.500	6082004
SA44-42RE	100	100	100	50	1.00	39	31.000	6082006
SA66-22RE	150	150	50	50	1.00	36	49.000	6082010
SA66-32RE	150	150	75	50	1.00	36	49.000	6082012
SA66-42RE	150	150	100	50	1.00	36	51.000	6082014
SA66-33RE	150	150	75	75	1.00	36	50.000	6082016
SA66-43RE	150	150	100	75	1.00	36	51.000	6082018
SA66-44RE	150	150	100	100	1.00	36	52.000	6082020
SA94-44RE	225	100	100	100	1.00	15	63.000	6082022
SA99-33RE	225	225	75	75	1.00	7	114.000	6082030
SA99-44RE	225	225	100	100	1.00	7	101.000	6082032
SA99-66RE	225	225	150	150	1.00	7	64.000	6082034
SA126-44RE	300	100	100	150	1.00	5	105.000	6082040
SA1212-44RE	300	300	100	100	1.00	5	176.000	6082042
SA1212-66RE	300	300	150	150	1.00	5	149.000	6082044
SA1212-99RE	300	300	225	225	1.00	5	131.000	6082048

St Steel

FS Strip galvanised

Reducer for use on single and two-compartment cable trunking. Version with side heights 50, 75, 100 and 150 mm.



Single-compartment cable trunking 150, cover with turn buckle



Type	Dimen-	Dimen-	Dimen-	Metal	Pack	Weight	Item no.
	sion B	sion H	sion L	thickness		m	
	mm	mm	mm	mm			
ST66	150	150	3000	1.20	54	590.000	6081198



St Steel

FS Strip galvanised

Cable trunking, single-compartment, complete with cover.

Connectors should be ordered separately and in the appropriate quantity.

Dimensions



Single-compartment cable trunking 150, cover screwed on



Type	Dimen-	Dimen-	Dimen-	Metal	Pack	Weight	Item no.
	sion B	sion H	sion L	thickness		m	
	mm	mm	mm	mm			
STSF66 1.5	150	150	3000	1.50	54	590.000	6081197
STSF96 1.5	225	150	3000	1.50	36	866.670	6081200


St Steel

FS Strip galvanised

Cable trunking, single-compartment, complete with cover.

Connectors and the cover fastening set should be ordered separately and in the appropriate quantity.

Dimensions



Two-compartment cable trunking 150, cover with turn buckle

Type	Dimen-	Dimen-	Dimen-	Metal	Pack	Weight	Item no.
	sion B	sion H	sion L	thickness			
	mm	mm	mm	mm	m	kg/100 m	
ST66-2EC	150	150	3000	1.20	54	690.000	6081256


St Steel

FS Strip galvanised

Cable trunking, two-compartment, complete with cover.
Connectors should be ordered separately and in the appropriate quantity.



Dimensions




90° top bend 150 with cover

Type	Dimen-	Dimen-	Metal	Pack	Weight	Item no.
	sion B	sion H	thickness			
	mm	mm	mm	Piece	kg/100 pc.	
SA6690T	150	150	1.00	8	152.000	6081316
SA9690T	225	150	1.00	3	259.000	6081318

St Steel

FS Strip galvanised

90° top bend with cover, for use on single-compartment cable trunking.



90° internal bend 150 with cover




Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA6690I	150	150	1.00	8	148.000	6081376

St Steel

FS Strip galvanised

90° internal bend with cover, for use on single-compartment cable trunking.



90° external bend 150 with cover




Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA6690E	150	150	1.00	8	143.000	6081436

St Steel

FS Strip galvanised

90° external bend with cover, for use on single-compartment cable trunking.



45° top bend 150 with cover





Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA6645T	150	150	1.00	12	88.000	6081496

St Steel

FS Strip galvanised

45° top bend with cover, for use on single-compartment cable trunking.




45° internal bend 150 with cover

Type	Dimen-	Dimen-	Metal	Pack	Weight	Item no.
	sion B	sion H	thickness			
	mm	mm	mm	Piece	kg/100 pc.	
SA6645I	150	150	1.00	12	85.000	6081556

St Steel

FS Strip galvanised

45° internal bend with cover, for use on single-compartment cable trunking.




45° external bend 150 with cover

Type	Dimen-	Dimen-	Metal	Pack	Weight	Item no.
	sion B	sion H	thickness			
	mm	mm	mm	Piece	kg/100 pc.	
SA6645E	150	150	1.00	12	90.000	6081616

St Steel

FS Strip galvanised

45° external bend with cover, for use on single-compartment cable ducts.





Top tee branch 150 with cover

Type	Dimen-	Dimen-	Metal	Pack	Weight	Item no.
	sion B	sion H	thickness			
	mm	mm	mm	Piece	kg/100 pc.	
SA66TTC	150	150	1.00	4	171.000	6081676

St Steel

FS Strip galvanised

Top tee with cover, for use on single-compartment cable trunking.



Internal tee branch 150 FS with cover




Type	Dimen-	Dimen-	Metal	Pack	Weight	Item no.
	sion B	sion H	thickness			
	mm	mm	mm	Piece	kg/100 pc.	
SA66TIN	150	150	1.00	4	173.000	6081736

St Steel

FS Strip galvanised

Internal tee with cover, for use on single compartment cable trunking.



External tee branch 150 with cover




Type	Dimen-	Dimen-	Metal	Pack	Weight	Item no.
	sion B	sion H	thickness			
	mm	mm	mm	Piece	kg/100 pc.	
SA66TEX	150	150	1.00	4	158.000	6081796


St Steel

FS Strip galvanised

External tee with cover, for use on single-compartment cable trunking.



Cross-over 150




Type	Dimen-	Dimen-	Metal	Pack	Weight	Item no.
	sion B	sion H	thickness			
	mm	mm	mm	Piece	kg/100 pc.	
SA664WI	150	150	1.00	3	192.000	6081856

St Steel

FS Strip galvanised

Cross-over, for use on single-compartment cable trunking.




Reduction

Type	Dimension B mm	Dimension H mm	Dimension h mm	Dimension b mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA33-22RE	75	75	50	50	1.00	66	24.000	6081990
SA43-22RE	100	50	50	75	1.00	5	30.000	6081992
SA44-22RE	100	100	50	50	1.00	39	36.000	6082000
SA44-32RE	100	100	75	50	1.00	39	32.000	6082002
SA44-33RE	100	100	75	75	1.00	39	32.500	6082004
SA44-42RE	100	100	100	50	1.00	39	31.000	6082006
SA66-22RE	150	150	50	50	1.00	36	49.000	6082010
SA66-32RE	150	150	75	50	1.00	36	49.000	6082012
SA66-42RE	150	150	100	50	1.00	36	51.000	6082014
SA66-33RE	150	150	75	75	1.00	36	50.000	6082016
SA66-43RE	150	150	100	75	1.00	36	51.000	6082018
SA66-44RE	150	150	100	100	1.00	36	52.000	6082020
SA94-44RE	225	100	100	100	1.00	15	63.000	6082022
SA99-33RE	225	225	75	75	1.00	7	114.000	6082030
SA99-44RE	225	225	100	100	1.00	7	101.000	6082032
SA99-66RE	225	225	150	150	1.00	7	64.000	6082034
SA126-44RE	300	100	100	150	1.00	5	105.000	6082040
SA1212-44RE	300	300	100	100	1.00	5	176.000	6082042
SA1212-66RE	300	300	150	150	1.00	5	149.000	6082044
SA1212-99RE	300	300	225	225	1.00	5	131.000	6082048

St Steel

FS Strip galvanised

Reducer for use on single and two-compartment cable trunking. Version with side heights 50, 75, 100 and 150 mm.



Single-compartment cable trunking 225, cover screwed on

Type	Dimension B mm	Dimension H mm	Dimension L mm	Metal thickness mm	Pack m	Weight kg/100 m	Item no.
STSF99 1.5	225	225	3000	1.50	24	1,046.670	6081204

St Steel


FS Strip galvanised

Cable trunking, single-compartment, complete with cover.

Connectors and the cover fastening set should be ordered separately and in the appropriate quantity.



Dimensions



Cable trunking system

90° top bend 225 with cover, screwed




Type	Dimen-	Dimen-	Metal	Pack	Weight	Item no.
	sion B	sion H	thickness			
	mm	mm	mm	Piece	kg/100 pc.	
SA9990T	225	225	1.00	2	340.000	6081322

St Steel

FS Strip galvanised

90° top bend with cover, for use on single-compartment cable trunking. Version with a 150 mm side height.



Cable trunking system

Single-compartment cable trunking 300, cover screwed on



Type	Dimen-	Dimen-	Dimen-	Metal	Pack	Weight	Item no.
	sion B	sion H	sion L	thickness			
	mm	mm	mm	mm	m	kg/100 m	
STSF1212 1.5	300	300	3000	1.50	24	1,471.670	6081208


St Steel

FS Strip galvanised

Cable trunking, single-compartment, complete with cover.

Connectors and the cover fastening set should be ordered separately and in the appropriate quantity.

Dimensions





End cap 50

Type	Dimension H mm	Pack Piece	Weight kg/100 pc.	Item no.
SA22SE	50	400	4.000	6081870
SA32SE	50	60	5.000	6081872
SA42SE	50	386	6.000	6081874
SA62SE	50	50	6.000	6081876
SA92SE	50	30	11.000	6081878
SA122SE	50	24	14.000	6081880

St Steel

FS Strip galvanised

End cap, for use on single and two-compartment cable trunking.




End cap 75

Type	Dimension H mm	Pack Piece	Weight kg/100 pc.	Item no.
SA33SE	75	200	6.000	6081890
SA43SE	75	48	7.000	6081892
SA63SE	75	28	10.000	6081894
SA93SE	75	24	16.000	6081896

St Steel

FS Strip galvanised

End cap, for use on single and two-compartment cable trunking.




End cap 100

Type	Dimension H mm	Pack Piece	Weight kg/100 pc.	Item no.
SA44SE	100	200	10.000	6081906
SA64SE	100	18	14.000	6081908
SA94SE	100	5	30.000	6081910



St Steel

FS Strip galvanised

End cap, for use on single and two-compartment cable trunking.



End cap 150




Type	Dimension H mm	Pack Piece	Weight kg/100 pc.	Item no.
SA66SE	150	60	21.000	6081916

St Steel

FS Strip galvanised

End cap, for use on single and two-compartment cable trunking.

Hanger




Type	Dimension H mm	Dimension B mm	Pack Piece	Weight kg/100 pc.	Item no.
SA22HA	78	59	100	20.000	6082102
SA92HA	78	235	18	52.000	6082110
SA122HA	78	310	15	64.500	6082112
SA33HA	110	85	50	26.500	6082104
SA93HA	104	235	15	55.500	6082114
SA44HA	132	110	30	31.000	6082106
SA66HA	182	157	20	44.000	6082108

St Steel

FS Strip galvanised

Trunking hanger.

Earth link



Type	Dimension B mm	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SAELK	42	12.5	1.00	10	0.300	6082120

Cu Copper

N Nickel-plated

Earth connection for the inclusion of the cable trunking system in the equipotential bonding.

Earthing bridge



Type	Dimension L mm	Cross-section mm ²	Pack Piece	Weight kg/100 pc.	Item no.
SAEB	100	4	100	0.500	6082124

Cu Copper

N Nickel-plated


Outlet flange 50

Type	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA20F	50	1.00	80	4.000	6081930

St Steel

FS Strip galvanised

Outlet flange




Outlet flange 75

Type	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA30F	75	1.00	70	5.000	6081950

St Steel

FS Strip galvanised

Outlet flange




Outlet flange 100

Type	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA40F	100	1.00	100	8.000	6081966

St Steel

FS Strip galvanised

Outlet flange




Outlet flange 150

Type	Dimension H mm	Metal thickness mm	Pack Piece	Weight kg/100 pc.	Item no.
SA60F	150	1.00	35	12.000	6081976

St Steel

FS Strip galvanised

Outlet flange




Turn buckle

Type	Dimension B mm	Dimension H mm	Pack Piece	Weight kg/100 pc.	Item no.
SASLF	16.8	10.5	10	0.100	6082130

Zn Die-cast zinc

Turn buckle for additional installation or installation at a later date.




Fastening kit

Type	Pack Piece	Weight kg/100 pc.	Item no.
SALFK	1	0.410	6082122


St Steel

FS Strip galvanised

Fastening kit for trunking cover with bolt. The set contains 8 clamping pieces and 8 bolts.




Cover clamp SA2



Type
SA2CR
St Steel
FS Strip galvanised

Pack Piece	Weight kg/100 pc.	Item no.
10	18.000	6082158


Cover clamp SA4



Type
SA4CR
St Steel
FS Strip galvanised

Pack Piece	Weight kg/100 pc.	Item no.
10	34.000	6082162

Connector SASTC20



Type	Dimension B mm	Dimension H mm	Metal thickness mm
SA2STC	50	50	1.00
SA3STC	50	75	1.00
SA4STC	50	100	1.00
SA6STC	50	150	1.00
SA9STC	50	225	1.00
SA12STC	50	300	1.00

Pack Piece	Weight kg/100 pc.	Item no.
2	4.500	6082140
2	6.000	6082142
2	9.500	6082144
2	13.000	6082148
2	16.000	6082150
2	23.000	6082156

St Steel
FS Strip galvanised

Straight connector for the connection of cable trunking with a side height of 50, 75, 100, 150, 225 and 300 mm.